





Premier LAND AUCTION

Mercer County Kentucky

34 Miles South of Lexington

5,529 Acres

in 54 Tracts

Rich History in Cattle & Farming Operations

Multiple Historic Country Estates

Prime Tillable Farmland

SOIL INFORMATION




Wednesday, November 16 • 10am


Lexington Convention Center - Lexington, KY


SCHRADER
Real Estate and Auction Company, Inc.


800.451.2709


SchraderAuction.com


1160
Parsons Ln.
Dunn Ln.
Mundy's Landing Rd.
Hopewell Rd.
Norfolk Southern R.R.
Mundy's Landing
Salt River
Jackson Pike Rd.
127
Warwick Rd.
Curry Pike Rd.
1343
390
Easement
"Swing Tract"
Chinn Rd.
1989
Easement
390
Salt River
68
Handy Pike Rd.


AUCTION
Versailles
Lawrenceburg
Lexington
Nicholasville
Harrodsburg
Keene
Wilmore
Jessamine
Nonesuch
Kirkwood
Bohon
Mundy's Landing
Shaker Village of Pleasant Hill
Camp Nelson National Cemetery
Kentucky River Authority State Nature Preserve
Old Harrodsburg
Historic Harrodsburg
Bright Leaf Golf Resort
Buzzards Roost Airport
Wild Turkey Distillery
Bob-O-Link GC
Hunter Town
Woodford Village
Shetland
Gaybourn
Frogtown
Georgetown
Mitchellstown
Little Texas
South Elkhorn
Ft Spring
Blue Grass Airport
Keeneland
Van Meter
Cabin Brook Golf Club
Fox and Train Mus
Nostalgia Station
Bluegrass Scenic RR and Museum
Lock No 5
Milner
Tyrone
Stringtown
Gudgel
Anderson City
Birdie
Gee
Glensboro
Drydock
Fox Creek
Hickory Grove
Sinai
Klondyke
Johnsonville
Ashbrook
Ballard
Nevin
Bondville
Salvisa
Oregon
Vanarsdell
Terrapin
Dugansville
Seaville
Tablow
Sharpsville
Duncan
Talmage
McAfee
Braxton
Mayo
Ebenezer
Troy
Dixon Town
Pinckard
Ft Garrett
Jouett House
Mortonsville
Brannon
Jonesboro
Lansdowne
Meadowbrook GC
Wayside SHS
Tates Creek GC
Connemara Golf Links
Plantation Links Golf Center
High Point GC
Union Mills
Coletown
East Hickman
Logana
Vineyard
Hanly
Sulphur Well
Mt Lebanon
Cuzick
Black Bridge
Pollard
Pink
Little Hickman
Edenton
Hall
Pleasant Hill
High Bridge
Bowmans Bend
Poll's Bend
Handy's Bend
Dix Dam
Buena Vista
White Oak
Toddville
Burgin
Rose Hill
Mackville
Jenkinsville
Cardwell
Cornishville
Battle
Bushtown
Judd Siding
Singtown
Shawnee Run Spring
Devils Elbow
Stone
Cottonburg
Edenton
Woodford Co
Mercer Co
Anderson Co
Jessamine Co
Madison Co
Fayette Co
Pleasant Hill Ridge


Louisville
Lexington
Frankfort
Owensboro
Bowling Green
Elizabethtown
Harrodsburg
Richmond
Somerset
London
Corbin
Williamsburg
Middlesboro
Campbellsville
Glasgow
Russellville
Franklin
Scottsville
Monticello
Columbia
Lebanon
Springfield
Gallatin
Portland
Nashville
Murfreesboro
Cookeville
Crossville
Oak Ridge
Knoxville
Harriman
Rockwood
Jamestown
La Follette
Cumberland Gap
Barbourville
Manchester
Mount Sterling
Winchester
Georgetown
Shelbyville
Lawrenceburg
Versailles
Nicholasville
Wilmore
Danville
Lancaster
Stanford
Perryville
Lebanon
Hodgenville
Leitchfield
Hartford
Beaver Dam
Caneyville
Morgantown
Brownsville
Munfordville
Horse Cave
Cave City
Edmonton
Burkesville
Albany
Pine Knot
Whitley City
Parkers Lake
Burnside
Eubank
Mount Vernon
Crab Orchard
Conway
McKee
Booneville
Irvine
Natural Bridge S.R.P.
Boonesboro
Boonesborough S.P.
Stanton
Owingsville
Paris
Cynthiana
Carlisle
Flemingsburg
Tell City
Hawesville
Irvington
Brandenburg
Corydon
Jeffersontown
Shepherdsville
Bardstown
Radcliff
Fort Knox Mil. Res.
Taylorsville Lake
Bloomfield
Springfield
Fairfield
Lincoln Homestead S.P.
My Old Kentucky Home S.P.
Old Ft. Harrod S.P.
Shakertown
White Hall S.H.S.
Perryville Battlefield St. Hist. Site
Isaac Shelby S.H.S.
Wm. Whitley House S.H.S.
Great Saltpetre Cave
Levi Jackson Wilderness Rd. S.P.
Daniel Boone Nat'l. For.
Cumberland Falls S.R.P.
Dr. Thomas Walker St. Hist. Site
Pine Mtn. S.R.A.
Big South Fork Nat'l. River and Rec. Area
Pickett S.R.P.
Indian Mtn. S.P.
Cumberland Gap
Norris Lake
Norris Dam S.P.
Big Ridge S.R.P.
Cove Lake S.P.
Caryville
Lake City
Andersonville
Strawberry Plains
Clinton
Frozen Head St. Natural Area
Wartburg
Oakdale
Kingston
Lenoir City
Alcoa
Maryville
Farragut
Oak Ridge Nat'l. Lab.
Elgin
Oneida
Jellico
Pine Knot
Monticello
Somerset
Burnside
Gen. Burnside S.P.
Cumberland Falls S.R.P.
Lake Cumberland St. Resort Pk.
Green River Lake S.P.
Green River Lake
Mammoth Cave N.P.
Mammoth Onyx Cave
Abraham Lincoln Birthplace Nat'l. Historic Site
Lincoln's Boyhood Home
Lincoln Boyhood Nat'l. Mem.
Rough River Lake
Rough R. Dam S.R.P.
Barren River Lake S.P.
Barren River Lake
Lake Malone S.P.
Dale Hollow Lake State Resort Park
Standing Stones State Rustic Pk.
Old Mulkey Meeting House St. Hist. Site
Fort Royal St. Hist. Area
Jefferson Davis St. Hist. Site
Bledsoe Creek S.P.
Cragfont
Hartsville
Westmoreland
Red Boiling Springs
Celina
Lafayette
Gainesboro
Livingston
Carthage
Cordell Hull Lake
Cheatham Lake
Ashland City
Goodlettsville
The Hermitage
Long Hunter S.P.
J. Percy Priest Lake
La Vergne
Smyrna
Watertown
Alexandria
Cedars of Lebanon S.P.
Burgess Falls S.N.A.
Edgar Evins S.R.P.
Rock-Island St. Rustic Pk.
Sparta
Smithville
Spencer
Caney Fk. Cumberland Mtn. St. Rustic Park
Franklin
Carter House
College Grove
Stones River Nat'l. Battlefield
Woodbury
Adairville
Guthrie
Auburn
Elkton
Greenville
Drakesboro
Kirkmansville
Lewisburg
Hardinsburg
Clover-port
Whitesville
Fordsville
Harned
Rough River Lake
Rough R. Dam S.R.P.
Hardinsburg
Upton
Hodgenville
Greensburg
Liberty
Campbellsville
Columbia
Russell Sprs.
Nancy
Jamestown
Lake Cumberland
Cumberland
Tompkinsville
Scottsville
Auburn
Russellville
Franklin
Adairville
Guthrie
Portland
Westmoreland
Springfield
Gallatin
Goodlettsville
Ashland City
Nashville
Lebanon
Watertown
Alexandria
Smyrna
La Vergne
Murfreesboro
Woodbury
Smithville
Sparta
Cookeville
Monterey
Clarkrange
Crossville
Harriman
Rockwood
Kingston
Lenoir City
Farragut
Knoxville
Maryville
Alcoa
Oak Ridge
Clinton
Wartburg
Oakdale
Andersonville
Strawberry Plains
Norris
Lake City
Caryville
Elgin
Oneida
Jellico
Pine Knot
Monticello
Somerset
Burnside
Eubank
Mount Vernon
Crab Orchard
Conway
McKee
Booneville
Irvine
Natural Bridge S.R.P.
Boonesboro
Boonesborough S.P.
Stanton
Owingsville
Paris
Cynthiana
Carlisle
Flemingsburg
Tell City
Hawesville
Irvington
Brandenburg
Corydon
Jeffersontown
Shepherdsville
Bardstown
Radcliff
Fort Knox Mil. Res.
Taylorsville Lake
Bloomfield
Springfield
Fairfield
Lincoln Homestead S.P.
My Old Kentucky Home S.P.
Old Ft. Harrod S.P.
Shakertown
White Hall S.H.S.
Perryville Battlefield St. Hist. Site
Isaac Shelby S.H.S.
Wm. Whitley House S.H.S.
Great Saltpetre Cave
Levi Jackson Wilderness Rd. S.P.
Daniel Boone Nat'l. For.
Cumberland Falls S.R.P.
Dr. Thomas Walker St. Hist. Site
Pine Mtn. S.R.A.
Big South Fork Nat'l. River and Rec. Area
Pickett S.R.P.
Indian Mtn. S.P.
Cumberland Gap
Norris Lake
Norris Dam S.P.
Big Ridge S.R.P.
Cove Lake S.P.
Caryville
Lake City
Andersonville
Strawberry Plains
Clinton
Frozen Head St. Natural Area
Wartburg
Oakdale
Kingston
Lenoir City
Alcoa
Maryville
Farragut
Oak Ridge Nat'l. Lab.
Elgin
Oneida
Jellico
Pine Knot
Monticello
Somerset
Burnside
Eubank
Mount Vernon
Crab Orchard
Conway
McKee
Booneville
Irvine
Natural Bridge S.R.P.
Boonesboro
Boonesborough S.P.
Stanton
Owingsville
Paris
Cynthiana
Carlisle
Flemingsburg







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	52.1	50.7%		I	5.5	3250	150	4.5	9.5	55	65
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	45.7	44.4%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	4.7	4.5%		IIIe	5	3200	135	4	9	45	50
McD	McAfee silt loam, 12 to 20 percent slopes	0.3	0.3%		IVe	4.1		68	3.4	7.6		
					Weighted Average	**5.5**	**3234.8**	**148.9**	**4.5**	**9.5**	**54.3**	**64.1**


TRACT
01









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	47.2	60.8%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	16.8	21.7%		IIIe	5	3200	135	4	9	45	50
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	9.1	11.7%		I	5.5	3250	150	4.5	9.5	55	65
Du	Dunning silty clay loam	4.5	5.8%		IIIw			120	4.1	8.6	50	
				Weighted Average		**5.1**	**3050.6**	**145**	**4.4**	**9.3**	**52.5**	**58**


TRACT
02









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	42	67.5%		IIe	5.5	3250	150	4.5	9.5	55	65
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	8.4	13.4%		I	5.5	3250	150	4.5	9.5	55	65
McB	McAfee silt loam, 2 to 6 percent slopes	6.1	9.8%		IIe	5	2600	113	4.1	8.1	41	39
McC	McAfee silt loam, 6 to 12 percent slopes	5.8	9.3%		IIIe	5	2275	105	4.1	8.1	39	33
			Weighted Average			**5.4**	**3095.6**	**142.2**	**4.4**	**9.2**	**52.1**	**59.5**


TRACT
03








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McB	McAfee silt loam, 2 to 6 percent slopes	23	32.7%		IIe	5	2600	113	4.1	8.1	41	39
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	21.2	30.0%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	18.4	26.1%		IIIe	5	2275	105	4.1	8.1	39	33
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	7.9	11.2%		I	5.5	3250	150	4.5	9.5	55	65
			Weighted Average			**5.2**	**2783**	**126.2**	**4.3**	**8.7**	**46.2**	**48.1**


The
Chapline
House
TRACT
04







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	70.6	66.7%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	13.5	12.8%		IIIe	5	2275	105	4.1	8.1	39	33
EkB	Elk silt loam, 2 to 6 percent slopes	8	7.5%		IIe	5.5	3250	143	4.5	9	50	62
McB	McAfee silt loam, 2 to 6 percent slopes	5.5	5.2%		IIe	5	2600	113	4.1	8.1	41	39
CaB	Caleast silt loam, 2 to 6 percent slopes	2.9	2.7%		IIe	5.5	2925	120	4.5	8.1	50	52
W	Water	2.8	2.7%									
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	2.7	2.5%		IIIe	5	3200	135	4	9	45	50
					Weighted Average	**5.3**	**2996.9**	**136.7**	**4.3**	**8.9**	**50**	**56.9**


TRACT
05








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	49.9	54.6%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	14.4	15.8%		IIIe	5	3200	135	4	9	45	50
Du	Dunning silty clay loam	13.6	14.9%		IIIw			120	4.1	8.6	50	
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	8.5	9.3%		I	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	4.9	5.4%		IIw		3250	150	4.5	9.5	55	62
					Weighted Average	**4.3**	**2757.9**	**143.2**	**4.4**	**9.3**	**52.7**	**52.8**


TRACT
06







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	118.2	63.6%		IIe	5.5	3250	150	4.5	9.5	55	65
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	31.4	16.9%		I	5.5	3250	150	4.5	9.5	55	65
Du	Dunning silty clay loam	16.4	8.8%		IIIw			120	4.1	8.6	50	
McC	McAfee silt loam, 6 to 12 percent slopes	7.4	4.0%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	6.5	3.5%		IIe	5	2600	113	4.1	8.1	41	39
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	4.5	2.4%		IIIe	5	3200	135	4	9	45	50
W	Water	1.5	0.8%									
					Weighted Average	**4.9**	**2875**	**142.7**	**4.4**	**9.2**	**52.8**	**56.2**


TRACT
07








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	59.3	69.3%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	21.6	25.3%		IIIe	5	3200	135	4	9	45	50
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	3.1	3.6%		VIs					3.8		
No	Nolin silt loam	0.9	1.1%		IIw		3250	150	4.5	9.5	55	62
McC	McAfee silt loam, 6 to 12 percent slopes	0.6	0.7%		IIIe	5	2275	105	4.1	8.1	39	33
					Weighted Average	**5.1**	**3113.5**	**140.5**	**4.2**	**9.2**	**50.4**	**58.6**


Wildwood
TRACT
08







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	41.7	50.1%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	18.7	22.5%		IIIe	5	2275	105	4.1	8.1	39	33
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	15.3	18.5%		IIIe	5	3200	135	4	9	45	50
No	Nolin silt loam	7.4	8.9%		IIw		3250	150	4.5	9.5	55	62
					Weighted Average	**4.8**	**3021.4**	**137.1**	**4.3**	**9.1**	**49.6**	**54.8**


TRACT
09








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	56.4	71.7%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	21.5	27.3%		IIIe	5	2275	105	4.1	8.1	39	33
No	Nolin silt loam	0.4	0.4%		IIw		3250	150	4.5	9.5	55	62
MeD	McAfee-Rock outcrop complex, 12 to 20 percent slopes	0.4	0.5%		IVs					6.7		
			Weighted Average			**5.3**	**2964.3**	**136.8**	**4.4**	**9.1**	**50.3**	**55.9**


TRACT
10






Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	37.9	39.2%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	19.2	19.9%		IIe	5	2600	113	4.1	8.1	41	39
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	16	16.5%		VIs					2.9		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	12.1	12.6%		IIe	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	5.8	6.0%		IIw		3250	150	4.5	9.5	55	62
MeD	McAfee-Rock outcrop complex, 12 to 20 percent slopes	5.6	5.8%		IVs					6.7		
					Weighted Average	**3.6**	**2013.7**	**91.5**	**3.3**	**7.4**	**33.7**	**32.6**


TRACT
11









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McB	McAfee silt loam, 2 to 6 percent slopes	47.3	30.2%		IIe	5	2600	113	4.1	8.1	41	39
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	40.2	25.7%		VIs					2.9		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	30.3	19.3%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	16.1	10.3%		IIIe	5	2275	105	4.1	8.1	39	33
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	15	9.6%		IIIe	5	3200	135	4	9	45	50
No	Nolin silt loam	7.7	4.9%		IIw		3250	150	4.5	9.5	55	62
					Weighted Average	**3.6**	**2113.2**	**94.2**	**3.1**	**7.2**	**34**	**35.6**


TRACT
12









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	31.7	53.3%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	21.7	36.5%		IIIe	5	2275	105	4.1	8.1	39	33
LoC	Lowell silt loam, 6 to 12 percent slopes	5.9	10.0%		IIIe	5.5	2763	120	4.5	8.6	41	52
No	Nolin silt loam	0.1	0.2%		IIw		3250	150	4.5	9.5	55	62
				Weighted Average		**5.3**	**2845.4**	**130.6**	**4.4**	**8.9**	**47.8**	**52**



TRACT
14









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
MeD	McAfee-Rock outcrop complex, 12 to 20 percent slopes	15.8	38.7%		IVs					6.7		
No	Nolin silt loam	14.8	36.3%		IIw		3250	150	4.5	9.5	55	62
McC	McAfee silt loam, 6 to 12 percent slopes	9	22.1%		IIIe	5	2275	105	4.1	8.1	39	33
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	0.6	1.5%		IIe	5.5	3250	150	4.5	9.5	55	65
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	0.6	1.4%		VIs					2.9		
					Weighted Average	**1.2**	**1731.3**	**79.9**	**2.6**	**8**	**29.4**	**30.8**


TRACT
15








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	79.3	53.3%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	31.9	21.5%		IIIe	5	3200	135	4	9	45	50
McC	McAfee silt loam, 6 to 12 percent slopes	16.5	11.1%		IIIe	5	2275	105	4.1	8.1	39	33
No	Nolin silt loam	15	10.1%		IIw		3250	150	4.5	9.5	55	62
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	4.9	3.3%		I	5.5	3250	150	4.5	9.5	55	65
W	Water	1.2	0.8%									
					Weighted Average	**4.7**	**3108.3**	**140.7**	**4.3**	**9.2**	**50.7**	**57.5**


TRACT
16








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	44.8	72.8%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	13.8	22.4%		IIIe	5	3200	135	4	9	45	50
MeD	McAfee-Rock outcrop complex, 12 to 20 percent slopes	1.7	2.7%		IVs					6.7		
McC	McAfee silt loam, 6 to 12 percent slopes	0.7	1.2%		IIIe	5	2275	105	4.1	8.1	39	33
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	0.3	0.6%		VIs					2.9		
W	Water	0.2	0.4%									
			Weighted Average			**5.2**	**3110.1**	**140.7**	**4.2**	**9.2**	**50.6**	**58.9**


TRACT
17





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	55	36.7%		VIs					2.9		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	44.3	29.5%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	18.4	12.2%		IIIe	5	3200	135	4	9	45	50
McD	McAfee silt loam, 12 to 20 percent slopes	10.4	6.9%		IVe	4.1		68	3.4	7.6		
McC	McAfee silt loam, 6 to 12 percent slopes	10.2	6.8%		IIIe	5	2275	105	4.1	8.1	39	33
No	Nolin silt loam	8.6	5.7%		IIw		3250	150	4.5	9.5	55	62
MeD	McAfee-Rock outcrop complex, 12 to 20 percent slopes	1.7	1.1%		IVs					6.7		
W	Water	0.8	0.6%									
McB	McAfee silt loam, 2 to 6 percent slopes	0.8	0.5%		IIe	5	2600	113	4.1	8.1	41	39
					Weighted Average	**2.9**	**1702.1**	**81.7**	**2.6**	**6.7**	**27.7**	**31.2**


TRACT
18








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	21.9	41.8%		IIIe	5	2275	105	4.1	8.1	39	33
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	12.1	23.0%		IIIe	5	3200	135	4	9	45	50
EdD	Eden silty clay loam, 6 to 20 percent slopes	9.7	18.5%		IVe	4.4	1950	83	3.6	5.7	28	29
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	4.6	8.7%		VIs					2.9		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	3.8	7.3%		IIe	5.5	3250	150	4.5	9.5	55	65
W	Water	0.4	0.7%									
			Weighted Average			**4.5**	**2285**	**101.2**	**3.6**	**7.5**	**35.8**	**35.4**


TRACT
19








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	25.9	59.8%		IIIe	5	2275	105	4.1	8.1	39	33
EdD	Eden silty clay loam, 6 to 20 percent slopes	10.4	24.0%		IVe	4.4	1950	83	3.6	5.7	28	29
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	3.8	8.7%		VIs					3.8		
W	Water	1.8	4.1%									
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	1.5	3.4%		IIe	5.5	3250	150	4.5	9.5	55	65
			Weighted Average			**4.2**	**1939**	**87.8**	**3.5**	**6.9**	**31.9**	**28.9**


Cecil House
TRACT
20








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	29	64.8%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	13.9	31.0%		IIIe	5	3200	135	4	9	45	50
McC	McAfee silt loam, 6 to 12 percent slopes	1.9	4.2%		IIIe	5	2275	105	4.1	8.1	39	33
					Weighted Average	**5.3**	**3193.6**	**143.5**	**4.3**	**9.3**	**51.2**	**59**


TRACT
21






Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	72.1	44.6%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	60.3	37.3%		IIIe	5	3200	135	4	9	45	50
No	Nolin silt loam	11.7	7.2%		IIw		3250	150	4.5	9.5	55	62
McC	McAfee silt loam, 6 to 12 percent slopes	10.3	6.4%		IIIe	5	2275	105	4.1	8.1	39	33
CaB	Caleast silt loam, 2 to 6 percent slopes	5.2	3.2%		IIe	5.5	2925	120	4.5	8.1	50	52
McB	McAfee silt loam, 2 to 6 percent slopes	1.9	1.2%		IIe	5	2600	113	4.1	8.1	41	39
CaC	Caleast silt loam, 6 to 12 percent slopes	0.2	0.1%		IIIe	5.5	2600	113	4.5	8.1	44	46
					Weighted Average	**4.9**	**3150.1**	**140.1**	**4.3**	**9.2**	**49.9**	**56.4**


TRACT
22








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	71.4	52.8%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	34.6	25.6%		IIIe	5	3200	135	4	9	45	50
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	17.2	12.7%		I	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	9.3	6.9%		IIw		3250	150	4.5	9.5	55	62
W	Water	2.8	2.1%									
					Weighted Average	**4.9**	**3172.2**	**143.2**	**4.3**	**9.2**	**51.3**	**59.7**


TRACT
23







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	15.9	39.6%		IIe	5.5	3250	150	4.5	9.5	55	65
CaB	Caleast silt loam, 2 to 6 percent slopes	11.8	29.3%		IIe	5.5	2925	120	4.5	8.1	50	52
McC	McAfee silt loam, 6 to 12 percent slopes	7.9	19.7%		IIIe	5	2275	105	4.1	8.1	39	33
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	3.7	9.1%		IIIe	5	3200	135	4	9	45	50
EdD	Eden silty clay loam, 6 to 20 percent slopes	0.6	1.5%		IVe	4.4	1950	83	3.6	5.7	28	29
No	Nolin silt loam	0.3	0.8%		IIw		3250	150	4.5	9.5	55	62
				Weighted Average		**5.3**	**2938.6**	**130**	**4.4**	**8.7**	**49.1**	**53**


Walnut Hall
TRACT
24









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	16.2	48.9%		IIIe	5	2275	105	4.1	8.1	39	33
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	9.7	29.2%		IIe	5.5	3250	150	4.5	9.5	55	65
FdC	Faywood silt loam, 6 to 12 percent slopes	4.5	13.5%		IIIe	4.1	2275	98	3.4	5.7	30	39
CaC	Caleast silt loam, 6 to 12 percent slopes	2.7	8.2%		IIIe	5.5	2600	113	4.5	8.1	44	46
					Weighted Average	**5.1**	**2581.8**	**117.6**	**4.1**	**8.2**	**42.8**	**44.2**


TRACT
26







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
FdC	Faywood silt loam, 6 to 12 percent slopes	23.8	80.1%		IIIe	4.1	2275	98	3.4	5.7	30	39
McC	McAfee silt loam, 6 to 12 percent slopes	3.6	12.2%		IIIe	5	2275	105	4.1	8.1	39	33
FwD3	Faywood silty clay, 12 to 20 percent slopes, severely eroded	1.2	3.9%		VIe					4.8		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	0.6	2.1%		IIe	5.5	3250	150	4.5	9.5	55	65
W	Water	0.5	1.8%									
					Weighted Average	**4**	**2168.1**	**94.5**	**3.3**	**5.9**	**29.9**	**36.6**


TRACT
27







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	20.7	32.1%		IIe	5.5	3250	150	4.5	9.5	55	65
CaC	Caleast silt loam, 6 to 12 percent slopes	18	28.0%		IIIe	5.5	2600	113	4.5	8.1	44	46
CaB	Caleast silt loam, 2 to 6 percent slopes	8.9	13.8%		IIe	5.5	2925	120	4.5	8.1	50	52
FaD	Fairmount-Rock outcrop complex, 12 to 30 percent slopes	7.5	11.7%		VIs					2.9		
EdD	Eden silty clay loam, 6 to 20 percent slopes	4.1	6.3%		IVe	4.4	1950	83	3.6	5.7	28	29
McC	McAfee silt loam, 6 to 12 percent slopes	3.4	5.2%		IIIe	5	2275	105	4.1	8.1	39	33
W	Water	1.8	2.8%									
FdC	Faywood silt loam, 6 to 12 percent slopes	0.1	0.1%		IIIe	4.1	2275	98	3.4	5.7	30	39
					Weighted Average	**4.6**	**2418.3**	**107.1**	**3.8**	**7.6**	**40.7**	**44.5**


TRACT
28









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
CaC	Caleast silt loam, 6 to 12 percent slopes	14.3	34.7%		IIIe	5.5	2600	113	4.5	8.1	44	46
McC	McAfee silt loam, 6 to 12 percent slopes	12	28.7%		IIIe	5	2275	105	4.1	8.1	39	33
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	11.4	27.4%		VIs					3.8		
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	2.2	5.2%		IIIe	5	3200	135	4	9	45	50
EdD	Eden silty clay loam, 6 to 20 percent slopes	1.4	3.3%		IVe	4.4	1950	83	3.6	5.7	28	29
W	Water	0.3	0.7%									
					Weighted Average	**3.7**	**1785.9**	**79.1**	**3.1**	**6.8**	**29.7**	**29**


TRACT
29








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	19.1	47.7%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	9	22.2%		IIIe	5	2275	105	4.1	8.1	39	33
No	Nolin silt loam	8.8	21.8%		IIw		3250	150	4.5	9.5	55	62
CaC	Caleast silt loam, 6 to 12 percent slopes	3.3	8.3%		IIIe	5.5	2600	113	4.5	8.1	44	46
					Weighted Average	**4.2**	**2979.6**	**136.9**	**4.4**	**9.1**	**50.5**	**55.7**


TRACT
30






Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	70.2	60.4%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	23.4	20.1%		IIIe	5	3200	135	4	9	45	50
No	Nolin silt loam	6.2	5.3%		IIw		3250	150	4.5	9.5	55	62
McC	McAfee silt loam, 6 to 12 percent slopes	6.1	5.3%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	6	5.2%		IIe	5	2600	113	4.1	8.1	41	39
CaC	Caleast silt loam, 6 to 12 percent slopes	4	3.4%		IIIe	5.5	2600	113	4.5	8.1	44	46
W	Water	0.5	0.4%									
			Weighted Average			**5**	**3122.6**	**141**	**4.3**	**9.2**	**50.9**	**57.9**


TRACT
31








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	25.1	47.2%		IIIe	5	2275	105	4.1	8.1	39	33
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	17.5	32.9%		IIe	5.5	3250	150	4.5	9.5	55	65
FdC	Faywood silt loam, 6 to 12 percent slopes	9.4	17.7%		IIIe	4.1	2275	98	3.4	5.7	30	39
No	Nolin silt loam	1.2	2.2%		IIw		3250	150	4.5	9.5	55	62
					Weighted Average	**4.9**	**2617.2**	**119.6**	**4.1**	**8.2**	**43**	**45.2**


TRACT
32








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	8.9	36.9%		IIe	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	7.2	29.9%		IIw		3250	150	4.5	9.5	55	62
McC	McAfee silt loam, 6 to 12 percent slopes	6.3	26.1%		IIIe	5	2275	105	4.1	8.1	39	33
FdC	Faywood silt loam, 6 to 12 percent slopes	1.4	5.9%		IIIe	4.1	2275	98	3.4	5.7	30	39
W	Water	0.3	1.3%									
				Weighted Average		**3.6**	**2899**	**133.4**	**4.3**	**8.8**	**48.7**	**53.4**


Keller House
TRACT
33









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	14.2	49.5%		IIIe	5	2275	105	4.1	8.1	39	33
FdC	Faywood silt loam, 6 to 12 percent slopes	8	27.7%		IIIe	4.1	2275	98	3.4	5.7	30	39
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	6.2	21.4%		IIe	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	0.4	1.4%		IIw		3250	150	4.5	9.5	55	62
				Weighted Average		**4.8**	**2497.3**	**113.3**	**4**	**7.8**	**40.2**	**41.9**


TRACT
34









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	26.4	43.5%		IIIe	5	2275	105	4.1	8.1	39	33
FdC	Faywood silt loam, 6 to 12 percent slopes	16.8	27.7%		IIIe	4.1	2275	98	3.4	5.7	30	39
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	16.7	27.5%		IIe	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	0.8	1.3%		IIw		3250	150	4.5	9.5	55	62
Weighted Average						**4.8**	**2555.8**	**116**	**4**	**7.8**	**41.1**	**43.8**


Show Barn
TRACT
35









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	31.9	76.5%		IIe	5.5	3250	150	4.5	9.5	55	65
No	Nolin silt loam	9.8	23.4%		IIw		3250	150	4.5	9.5	55	62
Weighted Average						**4.2**	**3246.8**	**149.8**	**4.5**	**9.5**	**54.9**	**64.2**


TRACT
36









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
FdC	Faywood silt loam, 6 to 12 percent slopes	115.2	49.4%		IIIe	4.1	2275	98	3.4	5.7	30	39
McC	McAfee silt loam, 6 to 12 percent slopes	27.3	11.8%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	18.8	8.1%		IIe	5	2600	113	4.1	8.1	41	39
LoB	Lowell silt loam, 2 to 6 percent slopes	18.5	8.0%		IIe	5.5	3088	128	4.5	9	44	55
No	Nolin silt loam	12	5.2%		IIw		3250	150	4.5	9.5	55	62
CaB	Caleast silt loam, 2 to 6 percent slopes	8	3.5%		IIe	5.5	2925	120	4.5	8.1	50	52
LoC	Lowell silt loam, 6 to 12 percent slopes	8	3.5%		IIIe	5.5	2763	120	4.5	8.6	41	52
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	7.8	3.3%		VIs					3.8		
FwD3	Faywood silty clay, 12 to 20 percent slopes, severely eroded	7.4	3.2%		VIe					4.8		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	6.8	2.9%		IIe	5.5	3250	150	4.5	9.5	55	65
CaC	Caleast silt loam, 6 to 12 percent slopes	1.2	0.5%		IIIe	5.5	2600	113	4.5	8.1	44	46
EkB	Elk silt loam, 2 to 6 percent slopes	1.1	0.5%		IIe	5.5	3250	143	4.5	9	50	62
W	Water	0.3	0.1%									
FdD	Faywood silt loam, 12 to 20 percent slopes	0.1	0.0%		IVe	3.6	2113		2.9	5.7		
					Weighted Average	**4.1**	**2341.5**	**102**	**3.6**	**6.9**	**34.4**	**40**


TRACT
38








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	31.8	28.3%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	30.6	27.1%		IIIe	5	2275	105	4.1	8.1	39	33
No	Nolin silt loam	23.4	20.8%		IIw		3250	150	4.5	9.5	55	62
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	12.2	10.8%		IIIe	5	3200	135	4	9	45	50
McB	McAfee silt loam, 2 to 6 percent slopes	10	8.9%		IIe	5	2600	113	4.1	8.1	41	39
EkB	Elk silt loam, 2 to 6 percent slopes	4.5	4.0%		IIe	5.5	3250	143	4.5	9	50	62
FdC	Faywood silt loam, 6 to 12 percent slopes	0.2	0.2%		IIIe	4.1	2275	98	3.4	5.7	30	39
			Weighted Average			**4.1**	**2923.8**	**132.7**	**4.3**	**8.9**	**48.1**	**51.7**


TRACT
39








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	117.3	30.5%		IIe	5.5	3250	150	4.5	9.5	55	65
CaC	Caleast silt loam, 6 to 12 percent slopes	69.2	18.0%		IIIe	5.5	2600	113	4.5	8.1	44	46
McC	McAfee silt loam, 6 to 12 percent slopes	67.4	17.5%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	48	12.5%		IIe	5	2600	113	4.1	8.1	41	39
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	33.5	8.7%		IIIe	5	3200	135	4	9	45	50
No	Nolin silt loam	17.4	4.5%		IIw		3250	150	4.5	9.5	55	62
EkB	Elk silt loam, 2 to 6 percent slopes	14.9	3.9%		IIe	5.5	3250	143	4.5	9	50	62
CaB	Caleast silt loam, 2 to 6 percent slopes	12.5	3.2%		IIe	5.5	2925	120	4.5	8.1	50	52
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	2.4	0.6%		VIs					3.8		
FdC	Faywood silt loam, 6 to 12 percent slopes	2.1	0.5%		IIIe	4.1	2275	98	3.4	5.7	30	39
			Weighted Average			**5**	**2838.8**	**127**	**4.3**	**8.7**	**46.7**	**50.2**


TRACT
40






Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	46.6	27.3%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	32.7	19.1%		IIe	5	2600	113	4.1	8.1	41	39
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	27.6	16.1%		IIIe	5	3200	135	4	9	45	50
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	23	13.4%		IIe	5.5	3250	150	4.5	9.5	55	65
CaB	Caleast silt loam, 2 to 6 percent slopes	21.7	12.7%		IIe	5.5	2925	120	4.5	8.1	50	52
CaC	Caleast silt loam, 6 to 12 percent slopes	14.6	8.5%		IIIe	5.5	2600	113	4.5	8.1	44	46
EkB	Elk silt loam, 2 to 6 percent slopes	3.1	1.8%		IIe	5.5	3250	143	4.5	9	50	62
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	1.8	1.1%		VIs					3.8		
				Weighted Average		**5.1**	**2719.4**	**119.5**	**4.2**	**8.4**	**44.1**	**44.8**


Wilkinson House
TRACT
41






Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
EkB	Elk silt loam, 2 to 6 percent slopes	17.6	23.8%		IIe	5.5	3250	143	4.5	9	50	62
FdC	Faywood silt loam, 6 to 12 percent slopes	16.7	22.5%		IIIe	4.1	2275	98	3.4	5.7	30	39
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	12.1	16.4%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	8.2	11.1%		IIIe	5	3200	135	4	9	45	50
CaC	Caleast silt loam, 6 to 12 percent slopes	6.4	8.7%		IIIe	5.5	2600	113	4.5	8.1	44	46
No	Nolin silt loam	5.7	7.7%		IIw		3250	150	4.5	9.5	55	62
FdD	Faywood silt loam, 12 to 20 percent slopes	4.6	6.2%		IVe	3.6	2113		2.9	5.7		
McC	McAfee silt loam, 6 to 12 percent slopes	2.5	3.4%		IIIe	5	2275	105	4.1	8.1	39	33
W	Water	0.1	0.2%									
					Weighted Average	**4.6**	**2858.4**	**120.6**	**4.1**	**8**	**42.1**	**49.6**


TRACT
42






Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	159.7	65.9%		IIe	5.5	3250	150	4.5	9.5	55	65
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	24.2	10.0%		IIIe	5	3200	135	4	9	45	50
EkB	Elk silt loam, 2 to 6 percent slopes	20.8	8.6%		IIe	5.5	3250	143	4.5	9	50	62
CaC	Caleast silt loam, 6 to 12 percent slopes	15.3	6.3%		IIIe	5.5	2600	113	4.5	8.1	44	46
McB	McAfee silt loam, 2 to 6 percent slopes	10.6	4.4%		IIe	5	2600	113	4.1	8.1	41	39
McC	McAfee silt loam, 6 to 12 percent slopes	6.5	2.7%		IIIe	5	2275	105	4.1	8.1	39	33
CaB	Caleast silt loam, 2 to 6 percent slopes	3.4	1.4%		IIe	5.5	2925	120	4.5	8.1	50	52
FdC	Faywood silt loam, 6 to 12 percent slopes	2	0.8%		IIIe	4.1	2275	98	3.4	5.7	30	39
					Weighted Average	**5.4**	**3140**	**142**	**4.4**	**9.2**	**51.6**	**59.7**


TRACT
43







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	45.7	51.0%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	17.3	19.3%		IIIe	5	2275	105	4.1	8.1	39	33
EkB	Elk silt loam, 2 to 6 percent slopes	12.4	13.8%		IIe	5.5	3250	143	4.5	9	50	62
CaB	Caleast silt loam, 2 to 6 percent slopes	9	10.0%		IIe	5.5	2925	120	4.5	8.1	50	52
McB	McAfee silt loam, 2 to 6 percent slopes	5.3	5.9%		IIe	5	2600	113	4.1	8.1	41	39
			Weighted Average			**5.4**	**2991**	**135.2**	**4.4**	**8.9**	**49.9**	**55.6**


TRACT
44









Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	26	51.8%		IIIe	5	2275	105	4.1	8.1	39	33
CaB	Caleast silt loam, 2 to 6 percent slopes	7.4	14.8%		IIe	5.5	2925	120	4.5	8.1	50	52
McB	McAfee silt loam, 2 to 6 percent slopes	7.3	14.5%		IIe	5	2600	113	4.1	8.1	41	39
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	6.1	12.1%		VIs					3.8		
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	3.4	6.8%		IIe	5.5	3250	150	4.5	9.5	55	65
			Weighted Average			**4.5**	**2209.4**	**98.7**	**3.7**	**7.7**	**37.3**	**34.9**


TRACT
45








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	13.7	51.9%		IIIe	5	2275	105	4.1	8.1	39	33
CaB	Caleast silt loam, 2 to 6 percent slopes	6	22.6%		IIe	5.5	2925	120	4.5	8.1	50	52
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	3.8	14.4%		VIs					3.8		
McB	McAfee silt loam, 2 to 6 percent slopes	2.4	9.3%		IIe	5	2600	113	4.1	8.1	41	39
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	0.5	1.8%		IIe	5.5	3250	150	4.5	9.5	55	65
			Weighted Average			**4.4**	**2142.1**	**94.8**	**3.6**	**7.5**	**36.3**	**33.7**


TRACT
46







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
CaC	Caleast silt loam, 6 to 12 percent slopes	14.1	67.0%		IIIe	5.5	2600	113	4.5	8.1	44	46
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	4.1	19.5%		IIe	5.5	3250	150	4.5	9.5	55	65
McC	McAfee silt loam, 6 to 12 percent slopes	1.6	7.4%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	1.1	5.1%		IIe	5	2600	113	4.1	8.1	41	39
FdC	Faywood silt loam, 6 to 12 percent slopes	0.2	0.8%		IIIe	4.1	2275	98	3.4	5.7	30	39
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	0.1	0.3%		IIIe	5	3200	135	4	9	45	50
			Weighted Average			**5.4**	**2704.5**	**119.7**	**4.4**	**8.4**	**45.6**	**48.4**


TRACT
47








Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
FdC	Faywood silt loam, 6 to 12 percent slopes	14.2	45.6%		IIIe	4.1	2275	98	3.4	5.7	30	39
CaC	Caleast silt loam, 6 to 12 percent slopes	8.9	28.8%		IIIe	5.5	2600	113	4.5	8.1	44	46
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	6.1	19.7%		IIIe	5	3200	135	4	9	45	50
McB	McAfee silt loam, 2 to 6 percent slopes	1.8	5.9%		IIe	5	2600	113	4.1	8.1	41	39
			Weighted Average			**4.7**	**2570**	**110.5**	**3.9**	**7.2**	**37.6**	**43.2**


TRACT
48







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	57.1	40.6%		IIIe	5	2275	105	4.1	8.1	39	33
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	34.7	24.7%		IIe	5.5	3250	150	4.5	9.5	55	65
EkB	Elk silt loam, 2 to 6 percent slopes	13.8	9.8%		IIe	5.5	3250	143	4.5	9	50	62
EdD	Eden silty clay loam, 6 to 20 percent slopes	13.3	9.5%		IVe	4.4	1950	83	3.6	5.7	28	29
FdC	Faywood silt loam, 6 to 12 percent slopes	8.3	5.9%		IIIe	4.1	2275	98	3.4	5.7	30	39
McB	McAfee silt loam, 2 to 6 percent slopes	6.8	4.8%		IIe	5	2600	113	4.1	8.1	41	39
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	6.4	4.5%		IIIe	5	3200	135	4	9	45	50
CaB	Caleast silt loam, 2 to 6 percent slopes	0.3	0.2%		IIe	5.5	2925	120	4.5	8.1	50	52
					Weighted Average	**5.1**	**2639**	**119.1**	**4.1**	**8.2**	**42.8**	**44.8**


TRACT
49







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	87.5	56.8%		IIIe	5	2275	105	4.1	8.1	39	33
McB	McAfee silt loam, 2 to 6 percent slopes	40.3	26.2%		IIe	5	2600	113	4.1	8.1	41	39
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	16.3	10.6%		IIe	5.5	3250	150	4.5	9.5	55	65
FdD	Faywood silt loam, 12 to 20 percent slopes	3	1.9%		IVe	3.6	2113		2.9	5.7		
FdC	Faywood silt loam, 6 to 12 percent slopes	3	2.0%		IIIe	4.1	2275	98	3.4	5.7	30	39
No	Nolin silt loam	2.9	1.9%		IIw		3250	150	4.5	9.5	55	62
CaC	Caleast silt loam, 6 to 12 percent slopes	0.6	0.4%		IIIe	5.5	2600	113	4.5	8.1	44	46
W	Water	0.4	0.3%									
			Weighted Average			**4.9**	**2475.7**	**110.4**	**4.1**	**8.2**	**40.5**	**38**


TRACT
50





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Alfalfa hay	Burley tobacco	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
McC	McAfee silt loam, 6 to 12 percent slopes	105.1	41.5%		IIIe	5	2275	105	4.1	8.1	39	33
FdC	Faywood silt loam, 6 to 12 percent slopes	38.7	15.3%		IIIe	4.1	2275	98	3.4	5.7	30	39
McB	McAfee silt loam, 2 to 6 percent slopes	35.3	14.0%		IIe	5	2600	113	4.1	8.1	41	39
FaC	Fairmount-Rock outcrop complex, 6 to 12 percent slopes	24.2	9.6%		VIs					3.8		
EkB	Elk silt loam, 2 to 6 percent slopes	11.7	4.6%		IIe	5.5	3250	143	4.5	9	50	62
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	10	3.9%		IIIe	5	3200	135	4	9	45	50
LoB	Lowell silt loam, 2 to 6 percent slopes	8.7	3.4%		IIe	5.5	3088	128	4.5	9	44	55
CaC	Caleast silt loam, 6 to 12 percent slopes	7	2.8%		IIIe	5.5	2600	113	4.5	8.1	44	46
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	6.1	2.4%		IIe	5.5	3250	150	4.5	9.5	55	65
FdD	Faywood silt loam, 12 to 20 percent slopes	3.3	1.3%		IVe	3.6	2113		2.9	5.7		
No	Nolin silt loam	2.3	0.9%		IIw		3250	150	4.5	9.5	55	62
W	Water	0.7	0.3%									
			Weighted Average			**4.4**	**2243**	**98.7**	**3.6**	**7.4**	**35.1**	**35.2**


TRACT
51





950 North Liberty Drive, Columbia City, IN 46725
800.451.2709 / 260.244.7606
www.schraderauction.com